

Calculation fuel transport emission

Kuemmel, Bernd

Publication date:
1996

Document Version
Publisher's PDF, also known as Version of record

Citation for published version (APA):
Kuemmel, B. (1996). *Calculation fuel transport emission*. Roskilde Universitet. Tekster fra IMFUFA No. 328
<http://milne.ruc.dk/ImfufaTekster/>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact rucforsk@kb.dk providing details, and we will remove access to the work immediately and investigate your claim.

Calculating Fuel Transport Emissions

Bernd Kuemmel

**an example of methods used in a Life-Cycle Analysis of
the total Danish energy system**

**This work is supported by the energy research
programme (EFP-94) of the Danish Energy Agency under
contract no. 1753/94-0001**

TEKSTER fra

IMFUFA

ROSKILDE UNIVERSITETSCENTER
INSTITUT FOR STUDIET AF MATEMATIK OG FYSIK SAMT DERES
FUNKTIONER I UNDERVISNING, FORSKNING OG ANVENDELSER

11. November 1996

Calculating Fuel Transport Emissions
an example of methods used in a Life-Cycle Analysis of the total Danish
energy system

B. Kuemmel

IMFUFA text no. 328

25 pages

ISSN 0106-6242

ABSTRACT:

The current Danish energy system relies nearly completely on fossil energy resources. A large share of the energy carriers that are being consumed in Denmark are not being produced domestically but are imported from other regions. This means a large impact on the global environment.

In this paper the structure of the Danish fuel import is investigated with respect to the transport work necessary for the current import of energy carriers. Fuels are being produced in other countries and are being transported to Denmark. A point gaining in importance in these years is the question of the size of countries' CO₂ emissions. International transport has not been included in any countries CO₂ balances, and the question remains how large this share could be.

Earlier this year the Energy and Environment Group at IMFUFA had calculated the fuel transport related CO₂ emissions to about 5 million tons yearly. This would be considered a large amount compared to the domestic emissions of about 60 million tons.

An overview is given over other studies that have investigated transport related emissions of CO₂. It is found that there for maritime transport is a rather large spread in the specific emissions and energy demand. This necessitates care in interpreting life cycle data, when transport is shown to be an important factor.

In this report we have calculated the fuel transport related CO₂ emissions looking especially at the maritime transport. It is found that in other LCA and externality studies oceangoing ships had been considered to be emitting much more CO₂ than could be substantiated by our work. While this reduces the total import related CO₂ emissions from about 5 million to ca. 1.6 million tons yearly it is still found that maritime transport emits a comparatively large, though not the major, share. The specific emissions for other transport means could be supported.

The amount of ca. 1.6 million tons of CO₂ emitted as a consequence of the current Danish energy system especially is due to the import of coal. This factor is responsible for two thirds of the total import related emissions. For this fuel railway transport plays a large role, this is due to the fact that coal mines normally are not situated close to harbours, and that rail transport is rather energy consuming.

As a result of this work we can state that fuel import is rather energy intensive and that the emissions from it should be monitored in the future.

The text contains a table of contents, an index, and a copious literature list where the reader can find background literature used during this task.

Calculating Fuel Transport's Emissions

Transportare necessare est

For Denmark the import of fuels make up a large impact on the environment. The Danish energy sector is marked by a marked lack of domestic production with respect to fuels used by the electricity sector. The self sufficiency rate with regard to domestic production is exclusively related to the production of crude oil and natural gas. So how much CO₂ emission does the current Danish energy system create by its fuel import? We answer this question later in this paper. We can enlighten the reader with the information that the Danish coal import is responsible for two thirds of the indirect CO₂ emissions from the total Danish fuel import.

Aim and Motivation

In this paper we shall investigate the transport lengths of fossil fuels that are being imported to Denmark. We do this, as this subject has been rather badly investigated before, and we do also investigate how much the import of especially coal actually impacts the environment. The motivation for such an investigation is that we want to describe the full impacts of the Danish energy chain in a different study. And to do this we have to gain information on how the transport of fuels alone impacts the environment.

A special reason for the latter investigation is that the data base for long haul shipping emissions seems to be misleading. A pilot investigation earlier this year gained knowledge that with domestic emissions of about 60 million tons of CO₂ alone, Denmark via its import of energy carriers also was responsible for an extra 5 million tons from the import of fossil fuels. This seems to be a rather high value and one could doubt its reliability. A copy of this text can be found in the appendix.

Impacts from Transport

The impacts of today's transport systems have been investigated in a couple of recent studies (AER, 1995; Transportrådet, 1993) and remain a region of considerable research interest. As a result it has been estimated that the realised costs of the transport services that people see today do not cover the true costs that mobility means for the public *in toto*. The prices of fuels, even though they bear the mark of high consumption taxes overall in Europe, a fact that often is criticised, should include these externalities.

Transport Demand Development in Denmark

From the statistics of the Danish Transport Department we know that, with the exception of the years following the two periods of marked rises in energy prices, the Danish domestic transport amount has been growing steadily during the last decades. This has been acknowledged as posing fundamental problems for the near future, amongst others the stabilisation targets of the domestic CO₂ emissions.

It has also been acknowledged that transport is not without external costs. The transport sector is causing impacts on other sectors of the economy and a large part of the society with respect to impacts from emissions or for example noise and there have been performed studies to investigate the cost potential of such impacts (AER, 1995; Det Økonomiske Råd, 1996; Transportrådet, 1993).

Fuel Import

Transport related impacts are an important factor for a life cycle analysis of the present and any possible future form of the Danish energy system. Currently Denmark is importing a large amount of energy carriers from various parts of the World. The average transport length for a number of transport modes is illustrated in Table 1. As can be seen Coal and crude oil are being transported over rather long distances while petroleum products are not being transported about as long.

Table 1 Average transport length of fuels imported to Denmark

FuelType	Ship	Barge	Diesel	Electr	Road	Pipe	Belt
Coal	8440	402	216	382	19	0	5
Oil	3471	823	0	0	0	254	0
PetrProd	972	910	0	727	0	29	0

Data average between 1986 and 1995 from Danmarks Statistik (1987 to 1996).

Data Sources Production

The data in Table 1 arise from a synopsis of data from the Danish import and export statistics published by Danmarks Statistik. Ten years of data, from 1986 to 1995 both years included, have been used to calculate the average Danish fuel import. The reason to do this was to even out any possible trends that could lead to faulty pictures. Depending on climatological and economical situations the Danish fuel import varies from year to year and another factor that plays a role is the change in the distribution structure.

Danish utilities, responsible for the major share of the Danish coal import, take great care in not getting too addicted from any specific supplier of coal. This means that even though coal prices could be very favourable in one country the utilities will make sure not too exceed a limit of about 30 per cent of the total fuel import coming from that country. This has on the other side the effect that no monopoly rents would have to be paid to any supplier that had tried to gain a large market share by pressing out competitors via low prices.

Data Sources Transport

For the average transport lengths we used data from nautical books and for inland transport from various IEA Coal Research publications and from US government Bureau of Mines 1988 publications, see the literature list. We also used information from other sources, like Diercke (1988) or in places common sense.

Transport is separated into seven modes: ocean ship transport, barges, diesel and electrically driven trains, road, pipe and belt transport. The distinction between ship and barge transport has been estimated to result from a combination of geographical and logistical considerations. Generally import from European countries will be taking place in smaller sized vessels than from overseas.

Coal is normally transported in large vessels of the order of 100 000 DWT (dry weight tons) from a number of overseas countries that Denmark is importing from. This kind of transport we have called for "ship" transport, and we are thinking of bulk overseas transport. For oil, import will generally be in larger vessels while petroleum products are expected to be transported in smaller vessels. "Barges" therefore relate to vessels of about 10000 or less DWT, with an assumed mean net weight of 5000 tons. This kind of vessels we assume is being used for smaller

colli and for water based transport in Europe. As those vessels are smaller they will have a higher specific energy consumption and so lead to higher emission rates.

In several countries road transport occurs for coal from the mines to the shipping sites while we also have assumed an average belt transport length of about 5 kilometres. Train transport occurs in a number of countries where coal or petroleum products are being transported from the refineries to harbours or other countries. Although it is technically possible to pump coal slurries through pipelines (BLM, 1980), pipeline transport only occurs for oil and petroleum products. The transport length for this mode has been estimated mostly from Diercke (1988).

Total Danish Fuel Import

Combining the data previously described, *i.e.* the information on transport distances for import from certain countries and the amounts from the import statistics, we have calculated the total transport work related to the Danish fuel import, Table 2.

Table 2 Total average ton-kilometres of Danish Fuel Import.

FuelType	Ship	Barge	Diesel	Electr	Road	Pipe	Belt
Coal	9.67E+10	4.61E+09	2.47E+09	4.38E+09	2.13E+08	0	5.72E+07
Oil	1.60E+10	3.80E+09	0	0	0	1.17E+09	0
PetrProd	3.47E+09	3.24E+09	1.88E+04	2.59E+09	0	1.04E+08	0

Data average between 1986 and 1995 from Danmarks Statistik (1987 to 1996) and various other sources.

The question now is how these transport lengths relate to the emissions from the transport carriers? How much CO₂ emissions for example are caused by this fuel import? In order to do this one can simply multiply the data from Table 2 with the specific emission factors as given in for example IIASA (1991). This would result in a value of about 5 million tons for CO₂ which seems to be too high. Therefore it has been deemed essential to perform an investigation of the ship transport energy demand and so emission factors. We start with the energy demand for ships, *i.e.* ocean going vessels.

Energy Demand of Ship Transport

From a number of sources it was possible to gain knowledge on the energy demand for ocean transport.

Table 3 Energy Demand for Ocean Transport

Source	Type	Data	Remark
Cowi 1988b, 1-11	ship	1.1 MJ tkm ⁻¹	freight ship 1988 (600 t capacity)
Cowi 1988b, 1-12	ship	0.8 MJ tkm ⁻¹	freight ship best case 2010 (600 t cap.)
GEMIS 1992, 126	ship	0.1 MJ tkm ⁻¹	oil tanker data
GEMIS 1992, 126	barge	0.5 MJ tkm ⁻¹	inland vessel
IIASA 1991, 85	barge	0.53 MJ tkm ⁻¹	inland shipping
IIASA 1991, 85	ship	0.46 MJ tkm ⁻¹	transatlantic shipping
IIASA 1991, 85	ship	0.16 MJ tkm ⁻¹	upper limit at 1700 km transport length
IIASA 1991, 85	ship	0.02 MJ tkm ⁻¹	lower limit at 13000 km transport length
Nedergaard 1994, 26	ship	0.48 MJ tkm ⁻¹	"bulkcarrier"

Typical values given in the literature for the energy demand of ship transport.

As can be seen the amount of energy varies about one magnitude from 0.02 MJ tkm⁻¹ to 1.1 MJ tkm⁻¹ from calculations based on IIASA (1991), respectively Cowi (1988b). As we have stated

before the value of 0.46 MJ tkm^{-1} for transatlantic shipping would result in emissions that seem to be too high for the overseas import of Danish fuels. We therefore illustrate the results from a range of studies that give values on energy demand and CO_2 emissions for sea transport in the following.

Transport Pollution Data

Transport causes a series of impacts on the environment: operational pollution, noise, land-use and intrusion, congestion, and risks from the transport of dangerous goods (COM, 1992). Here we shall subsume tables over the transport related emission factors that are available in the literature. The headlines indicate the reference given in the references section of the report.

IEA (1984)

IEA (1994) does not give specific emission factors for bulk carriers ship transport. However in it we can find data for the fuel consumption for four different sizes of bulk carriers. IEA (1984) also mentions that larger sized bulk carriers of the order of 100 000 to 200 000 DWT would be the standard vessels used for coal transport from the late 1980s onwards.

The data are given in tons fuel per day on sea with a march speed of 12.5 knots (nautical miles per hour) and for harbour stay during charge and discharge periods. The latter should be included in the discussion as this energy has to be provided for under all circumstances. The ships infrastructure cannot be shut off during loading and this energy consumption therefore is related to the fuel transport.

Together with the nautical distances one can infer the fuel consumption per single trip, *i.e.* not taking into account the return trip, that for Danish harbours almost never are possible in a laden condition and so only in ballast. Taking into consideration the empty return trip the real figures are therefore around double the ones given in Table 4. However we have decided to look only at single trip values, as we have not gained enough information on that matter from the other studies that we analyze here.

Table 4 Bulk Carriers Specific Energy Demand

MJ /tkm	Fuel saving				Conventional			
Size of vessel	60 kt	120 kt	170 kt	250 kt	60 kt	120 kt	170 kt	250 kt
SU	0.03	0.03	0.02	0.02	0.04	0.03	0.03	0.03
CD	0.03	0.02	0.02	0.02	0.04	0.03	0.03	0.03
USA	0.03	0.02	0.02	0.02	0.04	0.03	0.03	0.03
Venezuela	0.03	0.02	0.02	0.02	0.04	0.03	0.03	0.03
AUS	0.03	0.02	0.02	0.02	0.04	0.03	0.03	0.03

Source: Own calculation based on data from IEA (1984).

In terms of applicability we note that the values for the former Soviet Union cannot be used as a higher margin. The transport from that country can be expected to take place in shallower vessels in order to cross the Baltic Sea, and therefore even 60 000 tonnes DWT might be an overestimate for the carrying capacity of those kind of vessels.

Based from the data calculated in Table 4 we can now estimate the equivalent specific CO_2 emissions in grams per tonne-kilometre, Table 5. Please note that the number of decimals overstates the actual accuracy of this calculations. The important thing, however, is the ballpark size of the figures relative to the ones of the other studies.

Table 5 CO₂ emissions for ocean ship bulk transport.

Specific Bunker Consumption gCO ₂ tkm ⁻¹	<i>Fuel- saving</i>				<i>Conven- tional</i>				
	Size of vessel:	60 kt	120 kt	170 kt	250 kt	60 kt	120 kt	170 kt	250 kt
SU		2.58	2.04	1.79	1.75	3.48	2.78	2.63	2.58
CD		2.36	1.81	1.58	1.51	3.25	2.55	2.42	2.34
USA		2.35	1.80	1.57	1.50	3.24	2.55	2.41	2.33
Venezuela		2.34	1.79	1.56	1.49	3.23	2.53	2.40	2.32
AUS		2.30	1.76	1.53	1.45	3.19	2.50	2.36	2.28

Data are given for typical import distances to Danish harbours.

The consumption values in IEA (1994) have been corroborated by Jonesarson (1996) in a telephone interview. In it data for a 122,000 DTW 16200 hp bulk carrier have been given as a daily bunker consumption of 47.5 tons at a march speed of 14.11 knots. This ship has an extra diesel driven generator¹ with a capacity of 300 kW, which at a specific consumption of 180 to 185 g fuel per kWh_{el} (Jonesarson, 1996) gives a daily consumption of about 1.3 tons. Considering the weight of bunker, fresh water and proviant the 122,000 DWT mean that the allowable load will be about 110 to 115 kt.

For a fuel saving economy engine ship the consumption would be about 35 tonnes per day, but paying a speed fine so that the marching speed would be reduced to about 13 knots. Priorities with regard to speed or fuel consumption have then be made, but it seems as if fuel saving ships have not been so attractive, probably due to the increasing demand for just in time supplies that make speed a determining competitive factor.

The consumption is also dependent on the region where the ship is sailing. In cold surroundings the heating of the bunker oil to prevent paraffin flocking, which occurs at about 40 C, by the exhaust fumes' heat might not be sufficient so that extra heat has to be provided by a supplementary heating system, thus increasing the fuel consumption (Jonesarson, 1996). For the Danish fuel import we should take this factor into consideration, but it is difficult to estimate the extra energy that has to be used during winter time for imports from e.g. the Baltic states.

HVID AND JENSEN (1995)

Hvid and Jensen (1995) do not give specific emission factors but specific fuel oil consumption values (Table 6). From them it is possible to compute the specific CO₂ emissions.

Table 6 Specific fuel oil consumption for several ship types.

Type of ship	full speed	march speed	full speed	march speed	march speed
	100 % capacity oil consumption (g/DWT/nm)	100 % capacity oil consumption (g/DWT/nm)	100 % capacity energy demand (MJ/DWT/km)	80 % capacity energy demand (MJ/DWT/km)	80 % capacity energy demand (MJ tkm ⁻¹)
Large bulk carrier	1.2	0.3	0.03	0.01	0.01
Large containership	6.7	1.7	0.15	0.07	0.08
Ro-Ro (2 engines)	32.0	8.0	0.70	0.35	0.65
Ro-Ro (3 engines)	71.7	28.7	1.57	0.78	1.45
Coaster	7.2	2.9	0.16	0.08	0.08

¹ There have also been developed generators that are driven by the heavy fuel oil normally used by ship engines. This saves more expensive diesel oil at the expense of higher NO_x and SO₂ emissions.

The values are given for full speed and 100 % capacity utilisation.

DWT: (dead weight tonne) contains bunkers, proviant, fresh water and net load.

march speed: about 80 % of full speed, energy consumption 40 % of full speed values.

To calculate the net mass movement for Ro-Ro ferries it is assumed that HGVs have a carrier weight of 14 tonnes and a load of 16.5 tonnes.

Containers are assumed to have a weight of 3.5 tonnes.

Apparently with its more elaborate composition of the data material this is the best database that we have to estimate the specific emission factors for the different ship types that play a role in the transport of goods. It is remarkable how much the factors for bulk carriers are below the ordinary figures given in the literature for ship transport generally. These figures only seem to apply to Ro-Ro ships.

Table 7 CO₂ emission factors per tonne kilometre for different ship types.

Type of ship	march speed 80 % capacity energy demand (MJ tkm ⁻¹)	Emission factors (gCO ₂ tkm ⁻¹)
Large bulk carrier	0.01	1.1
Large containership	0.08	6.7
Ro-Ro (2 engines)	0.65	52.7
Ro-Ro (3 engines)	1.45	118.2
Coaster	0.08	6.4

GRANSELL AND EKLUND (1991)

These authors only give data for the total energy consumption of supertankers, smaller tankers, and pipelines in per cent of the energy content of the load (crude oil) as equivalent bunker oil and diesel consumption. The value given is 0.6 to 0.7 per cent of the crude oil's energy content independent of the size of the carrier (Gransell and Eklund, 1994, 18). The energy content of crude oil is about 42.8 GJ per ton (DONG, 1994, 31). This is equivalent to about 278 MJ per ton of crude oil transported.

It is difficult to gain figures in tonne kilometres that we need to calculate the specific energy consumption and CO₂ emissions. We try by combining this figures with the average transport distances given in either EC (1994/4); 1700 km for the return journey; or Lübkert *et al.* (1991); 3460 km; or an estimate from our other statistical analysis on the transport length of oil, see Table 8.

Table 8 Different energy demand for crude oil transport in tankers.

Source	value (MJ tkm ⁻¹)	CO ₂ emissions (g tkm ⁻¹)
EC (1995/4)	0.1	7.8
Lübkert <i>et al.</i> (1991) @1700 km	0.16	11.8
Lübkert <i>et al.</i> (1991) @3460 km	0.08	5.6
Lübkert <i>et al.</i> (1991) @13000 km	0.02	1.5

The energy content of crude oil is about 42.8 GJ/t (DONG, 1994, 31).

We have assumed a specific CO₂ emission of 72 g per MJ for crude oil or fuel oil (?).

Except for the 13000 km transport distance at an energy consumption of 0.65 % of the crude oil energy content the data comply well with the one given by EC (1995/4). The last row in Table 8 contains the calculation of the transport energy demand of oil tankers, assuming the EC

(1995/4) value given for the transport distance as 1700 km for the return journey and the energy demand of 0.65 % of the crude oil energy demand as given in Gransell and Eklund (1991)..

Lübker *et al.* (1991) also mention the average energy consumption of tankers as 1592 MJ/t of transported load. Using the value of EC (1995/4) directly would mean an average transport distance of 15920 km. The transport of Arabian crude oil around the horn of Africa to Denmark is equivalent to a distance of 13000 kilometres, and this value would have been appropriate in the 1970s until the North Sea resources were explored.

When we calculate the specific energy consumption as being 0.02 MJ tkm⁻¹ for oil tankers at the range of 13000 kilometres and a total energy demand of 0.65 per cent of the crude oils energy content our value of 0.02 Megajoule per tonnekilometre agrees well with estimates on the bulk goods transport from *e.g.* Hvid and Jensen (1995). This should be applicable to oil tankers, too, because there is *per se* no reason to assume that the engines in oil tankers should be much less efficient than in bulk carriers.

DK-EPA (1995)

Table 9 Primary specific energy consumption for road, rail and sea transport.

Transport Mode	Specific Energy Consumption (MJ tkm ⁻¹)
Truck	0.89
Diesel Train	0.76
Container Ship	0.09
Ro-Ro Ship (3 engines)	1.60

Ro-Ro: "Roll on-Roll off", ferry like ships that transport lorries and cars.

We could probably use the data for Ro-Ro ships as an upper bound for waterways transport, as it seems that this kind of transport could be appropriate for a small part of the energy carriers, especially low-volume goods as certain petroleum products, that are transported on the roads where the vehicles have to cross waterways. For example Brockhoff *et al.* (1994, 31) give a map on the petrol distribution in Denmark, where there currently is some transport between Zealland and Funen or Jutland.

NEDERGAARD (1994)

As shown in Table 10 Nedergaard (1994) has given values for international ship transport that for CO₂ is in between the large values given by NORD (1993), 50 g CO₂ tkm⁻¹, or Trafikministeriet (1994), 50.60 g CO₂ tkm⁻¹, and the bulk carrier value estimated from the data given by Hvid and Jensen (1995) that we have established. The values are smaller than the 33 g CO₂ tkm⁻¹, given by Lübker *et al.* (1993).

Table 10 Emissions for international road, rail and ship transport.

mode	SO ₂	NO _x	CO ₂
Road	0.13	1.45	98.38
Rail	0.18	0.40	48.00
Ship	0.26	0.40	17.62

Source: Nedergaard (1994)
in g tkm⁻¹

TRAFIKMINISTERIET (1994)

This report contains some tables for various transport modes. Data are given for several emission factors, also for CO₂ and there are also given an outlook into the emission development into the near future, up to the year 2010. The table for the specific CO₂ emission factors in the appendix of Trafikministeriet (1994) contains the following information:

Table 11 CO₂ emissions for various transport modes.

Vehicle Type	1988	1990	2005	2010
Car	104.2	105.41	94.32	90.71
Bus	53.84	55.84	47.66	45.76
Passenger Train	93.10	93.10	62.83	56.92
Ferry	621.69	621.69	574.46	559.52
Airplane	134.79	134.79	119.32	114.57
Truck	175.62	175.62	140.18	130.03
Lorry/MPV	4605.47	4605.47	3459.35	3325.61
Goods Train	82.55	82.55	49.01	48.09
Goods Ship	50.60	50.60	46.75	45.54

Car, Bus, Passenger Train, Ferry, and Airplane: gCO₂ tkm⁻¹.

Truck, Lorry/MPV (light trucks), Goods Train and Goods Ship: gCO₂ tkm⁻¹.

We can see that the value for goods ships are about one order of magnitude larger than the ones we gained from our investigation based on data from IEA (1984). Still, compared to land based transport, ship transport is emitting much less CO₂ for the same transport work.

COWI (1988A AND 1988B)

Cowi (1988a and 1988b) indicate possible future scenarios of the Danish transport sector for the year 2010 and give some data for the mid 1980s. In effect their data structure can be found in Trafikministeriet (1994) although the values have been changed somewhat. We have calculated the specific energy demand and the relevant emission factors from their data and note that there still was a non-negligible lead emission from petrol fuelled cars and vans at the time of their data aggregation.

Table 12 Current status

traffic mean	energy demand	CO	HC	NO _x	SO ₂	Pb	Particles
petrol car	1.65	12.94	1.29	1.41	0.02	0.01	-
diesel car	1.31	0.59	0.41	0.59	0.27	-	0.12
LPG-car	1.48	0.88	0.76	1.06	-	-	-
diesel-van	63.02	20.00	12.00	80.00	11.00	-	10.00
petrol-van	46.34	425.00	42.00	46.00	0.60	0.20	-
lorry (HPV)	3.42	1.33	0.80	5.33	0.73	-	0.67
bus	0.62	0.11	0.07	0.44	0.06	-	0.06
persons-train	1.15	0.07	0.14	3.27	0.17	-	0.13
freight-train	1.17	0.07	0.15	3.33	0.17	-	0.14
ferry	7.58	0.37	0.81	18.56	0.94	-	0.75
coaster	1.13	0.04	0.08	1.78	0.09	-	0.07
plane	6.35	1.91	0.51	0.87	-	-	0.21

car, bus, persons-train, ferry, and plane: emissions gram per personkilometer.

van, lorry/MPV (light trucks), freight-train and coaster: emissions gram per tonnekilometer.

all modes: energy demand in MJ per pkm or tkm.

For the near future, around the year 2010, Cowi (1988a) assume improvements with regard all transport modes, especially for cars. The relevant CO₂ emissions could be computed from the other data published in that study, we have not done this as they can be found in Trafikministeriet, very probably in improved form and data quality.

Table 13 Outlook for 2010, advanced strategy

traffic mean	energy demand	CO	HC	NO _x	SO ₂	Pb	Particles
petrol car	0.91	2.59	0.26	0.28	0.01	-	-
diesel car	0.92	0.50	0.35	0.35	0.14	-	0.03
LPG-car	1.06	0.71	0.59	0.53	-	-	-
diesel-van	43.84	16.00	9.60	40.00	5.50	-	2.50
petrol-van	29.91	44.00	4.40	4.80	0.10	-	-
lorry (HPV)	2.84	1.07	0.64	2.67	0.37	-	0.17
bus	0.43	0.09	0.05	0.22	0.03	-	0.01
persons-train	0.86	0.05	0.10	1.63	0.08	-	0.03
freight-train	0.88	0.05	0.10	1.67	0.09	-	0.03
ferry	5.68	0.26	0.57	9.28	0.47	-	0.19
coaster	0.84	0.03	0.06	0.89	0.05	-	0.02
plane	4.44	0.55	0.04	1.83	-	-	0.22

car, bus, persons-train, ferry, and plane: emissions gram per personkilometer.

van, lorry/MPV (light trucks), freight-train and coaster: emissions gram per tonnekilometer.

all modes: energy demand in MJ per pkm or tkm.

EC (1995/4)

A value is given for the fuel demand from tanker transport activities that is based on data provided by GEMIS (1992). The value is 0.1 MJ tkm⁻¹. In Table 14 we cite the original data.

Table 14 GEMIS (1992) Data

Transport Mode	Specific Energy Consumption (MJ tkm ⁻¹)	Specific CO ₂ Emissions (g CO ₂ tkm ⁻¹)
Ship	0.1	8
Barge	0.5	35

Source: GEMIS (1992, 126)

EC (1995/4, 38) also contains information on the transport energy demand of crude oil pipelines. An average value of the specific primary energy demand is given of 0.07 MJ_{el} per tonne kilometre.

NORD (1993)

NORD (1993) does not mention bulk transport but concentrates on passenger transport. So it is first later, Table 17, that we find data on maritime goods transport.

Table 15 CO₂ emissions (g/pkm) according to travel length and mode.

Transport mode	short trips (0-99 km)	Long trips
Car	141	97
Bus	86	36
Train	60	60
Hurtigbåd/-rute	850	660

Airplane - 283
 Hurtigbåd/-rute: Norwegian post carrier sailing the fjords, ferry like consumption pattern.

Table 16 CO₂ emissions (g tkm⁻¹) for goods transport.

Transport mode	short trips (0-99 km)	Long trips
HGV		100
LGV	400-600	
Train	34	34

HGV: heavy goods vehicle (>3.5 tonnes).

LGV: light goods vehicle.

Table 17 CO₂ emissions.

Transportmode	Goods (tkm)	Persons (pkm)
Street	100	130
Rail	34	60
Sea/Ship	50	700
Air	-	280

(g tkm⁻¹, resp. g pkm⁻¹) depending on transport mode for passenger and goods transport.

Table 17 indicates a value of the size of the one given in Lübkert *et al.* (1992).

ALEXANDERSSON *ET AL.* (1991)

The report by Alexandersson *et al.* (1991), published in a series of the Swedish Transport Research Board, has investigated thoroughly the emissions from ship transport. It even includes measurements performed on a typical ship engine during a test cycle, and so can be used as an authoritative source in our investigation.

The difference between the slow going two-stroke engines and the fast going four-stroke engines, Table 18, also manifests itself by the specific fuel consumption:

- 160 g kWh⁻¹ for 2-stroke, and
- 170-180 g kWh⁻¹ for 4-stroke engines,

at normal speed, *i.e.* 80 % of full load. However, as ships are long-lasting, normally a relatively large amount of old capacity is in work. Those older vessels will typically have a higher specific fuel consumption of 210 about g kWh⁻¹.

Table 18 Specific emissions from ship engines.

Motortyp	Load	NO _x	CO	CO ₂ g/kWh	THC	PM
2-stroke	80 %	17.7	0.2	600	0.8	0.9
	20 %	17.1	0.6	1000	1.3	0.9
4-stroke	80 %	14.0	1.0	620	0.2	0.4
	20 %	21.0	2.2	1120	0.4	0.6

Source: Alexandersson *et al.* (1991), p. 109.

If we, however, look at the technological development, it now seems that diesel engines also can be designed to a power rating of about 50 000 kW, which should be sufficient even for

future ULCC² vessels. Those ultra large capacity vessels will enable a further reduction in the specific energy consumption of bulk freight, and so consequently also of the emissions related to such transport. On the other hand a problem will arise with the harbour depths. Solutions that are already used in places today, are deloading partly in large harbours before the ship continues to end destinations without such large depth facilities.

The specific emissions can then be calculated using the data on the engine and ship sizes, as given in Table 19:

Table 19 Classes used in Alexandersson *et al.* (1991) study.

Type	Average BRT	Main engine (kW)	Help engines (kW)	Specific tonnage
1	628	654	230	0.71
2	1635	1518	346	0.88
3	3216	2757	520	0.98
4	5882	4539	786	1.10
5	9823	6535	1122	1.28
6	14792	8124	1447	1.55
7	25618	9051	1770	2.37

Classes used in Alexandersson *et al.* (1991) investigation on sea transport emissions, p. 38 ff.

Those ship classes will more apply to Swedish transport that is not very bulk intensive.

The specific tonnage *i.e.* the amount of BRT, in practice equal to the payload, that is transported for one kW of total engine power, *i.e.* the sum of main and help engine rated power, has been given in Table 19, too. This information shows very distinctly that the dead weight mass is being reduced drastically with increasing total ship mass, a phenomenon that normally is called for scale effect. The resulting total emissions can be inferred from data on the total time on sea and calling in at harbours.

Synopsis

To recapitulate our previous efforts we shall collect the amount of data given before and concentrate on the specific CO₂ emissions, *i.e.* g CO₂ per tonne kilometre transport work. Our estimate we shall then later use in order to calculate the Danish fuel import's contribution to the global CO₂ emissions.

Table 20 Typical Maritime CO₂ Emissions

EC 1995/4	tanker	7.8 g CO ₂ tkm ⁻¹	calculated from 0.1 MJ tkm ⁻¹
Hvid og Jensen 1995	bulk	1.1 g CO ₂ tkm ⁻¹	
IEA 1984	bulk	1.8 g CO ₂ tkm ⁻¹	low value (120 kt Australia)
IEA 1984	bulk	2.4 g CO ₂ tkm ⁻¹	high value (60 kt Canada)
Gransell&Eklund 1991	ship	1.5 g CO ₂ tkm ⁻¹	calculated @ 13000 km
Gransell&Eklund 1991	ship	5.6 g CO ₂ tkm ⁻¹	calculated @ 3460 km
Gransell&Eklund 1991	ship	11.6 g CO ₂ tkm ⁻¹	calculated @ 1700 km
Nedergaard, 1994	ship	17.6 g CO ₂ tkm ⁻¹	
Lübkert <i>et al.</i> 1991	ship	33.4 g CO ₂ tkm ⁻¹	
Nord 1993	ship	50.0 g CO ₂ tkm ⁻¹	
Trafikministeriet, 1994	ship	50.6 g CO ₂ tkm ⁻¹	
Hvid og Jensen 1995	coaster	6.4 g CO ₂ tkm ⁻¹	
Lübkert <i>et al.</i> 1991	barge	37.3 g CO ₂ tkm ⁻¹	

² Ultra Large Crude Carriers.

GEMIS 1992	barge	35.0 g CO ₂ tkm ⁻¹	
Cowi 1988b	coaster	85.8 g CO ₂ tkm ⁻¹	calculated from 1.1 MJ tkm ⁻¹
Hvid og Jensen 1995	container	6.7 g CO ₂ tkm ⁻¹	
Hvid og Jensen 1995	Ro-Ro 2	52.7 g CO ₂ tkm ⁻¹	
Hvid og Jensen 1995	Ro-Ro 3	118.2 g CO ₂ tkm ⁻¹	
DK-EPA 1995	Ro-Ro	140.4 g CO ₂ tkm ⁻¹	calculated from 1.6 MJ tkm ⁻¹

Collected to the various maritime transport modes, where known or appropriate.

Calculations were done by applying a factor of 78 g CO₂ MJ⁻¹ (Andersen and Trier, 1995, 154)

Depending on the assumptions that one does especially on the size of the transport means our investigation has brought enough evidence to support the following exclamations:

- The emission, or energy consumption, data on maritime transport means are not homogeneous. The vessels used in this kind of transport range over several orders of magnitude, from class 1 of Alexandersson *et al.* (1991) around 500 tons freight weight capacity to around 250 kt as described in IEA (1984). The latter class of vessels are used for bulk transport exclusively.
- There is an apparent danger in using the data for maritime transport from other studies without a proper background investigation into the data sources of those studies and which kind of vessels that have been investigated. Like in a former calculation done by us we have overestimated the CO₂ emissions from maritime bulk transport of fossils to Denmark.
- We have to find values for the two vessel classes that we concentrate on in our study.

Conclusions

We have shown that for maritime transport the emissions of CO₂ depend on the classes of vessels that are being used for the transport. This leads us to the following conclusions:

- For the bulk transport of coal and oil to Denmark we are well advised to use a low value. As a result of our investigations it has therefore become clear that bulk transport of coal only will result in emissions of the order of about 2 grams CO₂ per tonne-kilometre. We have to stress that this value does not take into account the typical transport lengths for the vessels. For bulk transport of coal we should assume a return trip of the vessel of about the same length as the one to the first destination (see also below).
- For the transport of fuels in Europe by barge we have to choose a different value, as clearly scale efficiency will not be as important in that area. We have decided to use the value given in IIASA (1991) as it also is supported by the GEMIS study (GEMIS, 1992, 126).

All in all the value for ships is significantly lower than the values given in most of the other official publications on emission factors from maritime transport. The higher values might, however, be very relevant in other areas of goods transport, like for ferries and ro-ro ships. Their travel speeds are higher, climate shedding is provided for passengers and truck drivers, and especially the ratio of transported ship to goods mass is much higher. All those factors point to higher energy demand, and emission factors for ship transport other than bulk carriage. It therefore necessary in our investigation to reduce the value of the emission factors for bulk transport by about 10 to ensure a fair treatment of this part of our investigation. So in the database on the emission factors ship transport will be extended to only mean bulk transport.

This gives the following data for the emissions from the Danish fuel import:

Table 21 Total CO₂ Emissions from Danish Fuel Import

Ship	Barge	Diesel	Electr	Road	Pipe	Belt	Total
------	-------	--------	--------	------	------	------	-------

	Ship	Barge	Diesel	Electr	Road	Pipe	Belt	Total
Coal	232	171	270	326	37	0	1	1037
Oil	38	141	0	0	0	18	0	197
PetrProd	8	120	0	193	0	2	0	323
Sum	279	431	270	520	37	20	1	
Total								1558

CO₂ emissions from the Danish fuel import in kt per year.

As Table 21 shows us the Danish fuel import is responsible for CO₂ emissions of about 1.6 million tons yearly. The maritime transport, however, with the new emission data elaborated before now is not any more the largest contributor. Electrical train and barge transport are the main contributors each about 50 % larger than maritime transport. These transport modes have specific emission rates that are several times the ones of maritime transport. So even though the transport work, as seen in Table 1, is much shorter for those transport means they generate the largest part of the indirect effects of the current Danish energy system.

If we, however look at the share of the different fuels imported by Denmark then it becomes clear that coal import by far is the most important energy carrier with regard to CO₂ emissions. It is responsible to two thirds of those indirect emissions. This stems from the fact that coal is very bulky and of the large transport distances, as Denmark is importing from various overseas nations. For coal import the large shares of train transport is related to the fact that coal has to be transported a rather long distance from the mines to the harbours 216 and 382 kilometres for diesel and electrical trains respectively.

International Perspective

Relative to the current Danish energy system's CO₂ emissions of about 60 million tons yearly the import of fuels is responsible for an extra amount of about 3 per cent of the domestic emissions. This amount is not included in the official Danish statistics, and it remains difficult to include it in relevant public statistics. Partly because the exact emissions depend on the exact transport work, *i.e.* such a calculation has to take into consideration the capacity utilisation of the transport means, *e.g.* by including the empty return trips. Partly because there is no international clearing instance yet to allocate emissions from international transport to the various countries.

Appendix

Characterisation of Transport Modes

TRAIN TRANSPORT

Train transport has been the bearing factor in the industrialisation that started with the invention of the steam engine in 1698 by Thomas Savery (James Watt did not market his model until 1769, but he was more successful! (Basis, 1993)). This development opened for the exploitation of coal to satisfy the energy needs of both a growing population and the rapid industrialisation of the European and North American societies.

Steam engines were not only used to pump up ground water to dry the shafts. The connection of the coal sector to the railway (steam engines!) is illustrated by the fact that in Europe still 95 per cent of all coal transport is railbased (Daniel and Jamieson, 1989; Porter, 1993). This, of course, is explained by the exploitation of the domestic coal reserves in nations like Germany, the United Kingdom, Poland, the Czech and Slovakian Republics or the Federation of Independent States.

Railway transport utilises the energy contents of electricity, fuel oils and coal. The last feature can still be found in many developing countries, like in the Peoples' Republic of China. In this report we have only used data for the electrically and diesel driven locomotives from Lübker *et al.* (1991). If we had knowledge of a major part of the railway transport being based on solid fuel, like in China, the data for the electrical train systems have been scaled to imitate the lower efficiency of coal based steam locomotives.

For the purpose of establishing the modal split of the railway transport we had to infer information from publications of the IEA coal research publications and other sources, like the U.S. Department of the Interior's foreign trade analyses. Not for all exporting nations could stringent data for the kind of the railway transport mode be found. The resultant insecurities are however not a major source of errors as the difference of the emission rates between electrically and diesel driven transport is negligible.

BARGE

Barge transport is river or canal based transport, that can be transnational, but will not leave inland water masses to sail the seas. Data for barge transport in Europe are not available, but we have assumed that transport on rivers and on the Baltic Sea would be barge based, like between Poland and Denmark. The difference to ship transport is the higher specific fuel consumption of barges.

SHIP

Ship transport in this report means the transport by ocean going ships and not domestic transport on rivers, canals. It also includes cabotage, which is sea transport following the coast line. From the production data on fuels and other materials we have gained knowledge of the shipping harbours for the import, and assumptions on the location of the receivers in Denmark. We have to stress that Denmark is not a large country, still the difference between Copenhagen and Aarhus for example is 225 nautical miles. Some transport is going via the Kiel Canal in Northern Germany, while other transport is around the Skagerrak north of Jutland. Most distances

from foreign harbours were given for transport to Copenhagen, and we have typically used these directly. Only in a few cases have we considered shipping to other harbours, for example would crude oil normally be landed at the refineries in Fredericia or Kalundborg (Gundermann, 1996).

For the database the distances of overseas transport performed by oceangoing ships have been gained from the maritime standard distances tables, ie Reed's and the US Navy's tables on nautical distances (Ganey and Reynolds, 1988, US Navy, 1940, Wittingham and King, 1920). Distances were given in nautical miles that were transformed to kilometres using a factor of 1,852 km per international nautical mile (Global 2000, 1409 ff.). This was necessary as the specific emission factors given in Lübker *et al.* (1991) were to kilometres.

The distances so far only cover the laden conditions, *i.e.* when the ships carry the bulk goods from the shipping to the receiving harbour, here the Danish utilities. From a telephone interview it became clear that coal transport is taking place in Capesized carriers (Røjgård, 1996), and the distances for transport of Australian or Bolivian Coal are quite impressive. An idea of this is given in (IEA, 1984) where typical round trip services are described:

Table 22 Transport mode for round trip coal transport to Europe and Japan

From	Mode	To
Australia	laden	Northern Europe
Northern Europe	ballast	South Africa
South Africa	laden	Japan
Japan	ballast	Australia

It is obvious that the transport of the good to Danmark shall be considered as Danish energy consumption, and the respective emissions as being related to the Danish budgets for externalities calculation. This is also true for the return trip of shuttle services only going between the importing and exporting country. There are no possibilities to load *e.g.* iron ore or bauxite as ballast for the Europe return trips (IEA, 1984). But it is not so clear how the ballast return trip in the round trip scheme shall be calculated.

We have here taken the values given in IEA (1984) and IEA (1985c) and only calculated with shuttle services, laden for trip and ballast for return, for all the import when we calculated the import related energy demand and emissions. The ballast bunker consumption is about 65 per cent of the laden condition (IEA, 1984).

ROAD

For a few countries we do have information that part of the coal is transported on the road like between the mine and the railroad station. We have found values for Canada (Jamieson, 1986, 64; Porter, 1993, 58), the United States (Jamieson, 1993, 57) and Colombia (Jamieson, 1985, 57). For all the other countries we assume no road based transport. This might lead to some underestimation, as we could assume that *e.g.* also in Australia and the Republic of South Africa road based transport would occur. For the energy consumption and CO₂ emissions from road based transport we have chosen to use the Danish values from Trafikministeriet (1994, 83), namely: 176 g CO₂ tkm⁻¹.

CONVEYOR BELTS

For the calculation of the total transport work for coal import we have assumed an average transport distance of 5 kilometre with regards coal, and 0.5 kilometres with regards coke. This should be equivalent to the typical distance covered from the pit to the shipping site. For the energy demand we have used the same value as for pipelines, see below.

PIPELINES

Although coal transport via slurry pipelines is feasible we have not assumed that any coal is transported via this means. On the other hand for a number of countries we have assumed that oil and petroleum products are transported via pipeline. The transport lengths have been established via visual interpretation of maps in Diercke (1988), or where appropriate have been gained from the other publications³ that we have used.

For the specific end-use energy demand we use the value given in GEMIES (1992, 126) of 0.06 MJ tkm⁻¹. For natural gas pipelines this energy is provided for by gas driven compressors with an efficiency of 30 per cent, and for oil and petroleum products the motor pumps are electrically driven with an efficiency of 92 per cent.

Data Collection

Let us in brief present the data that we have collected so far, before we calculate the emissions related to the Danish fuel imports, Table 23.

Table 23 Transport Modes specific Energy Consumption and Emissions

	Diesel	Electr	Barge	Ship	Road	Pipe	Belt
spec. energy (MJ tkm ⁻¹)	1.57	0.59	0.57	0.03	2.34	0.06&	0.06&
CO ₂ emission (g CO ₂ tkm ⁻¹)	109.3	74.6	37	2.4	175.62	15.4	15.4
NOx emission (g NOx tkm ⁻¹)	1.884	0.221	0.584	0.381	1.51	0.045	0.045
VOC emission (g tkm ⁻¹)	0.157	0.0047	0.138	0.0048	0.33	0.0028	0.0028
CO emission (g CO tkm ⁻¹)	0.895	0.013	0.170	0.011	1.60	0.0056	0.0056
Particle emission (g tkm ⁻¹)	0.094	0			0.15	0.0056	0.0056
SO ₂ emission (g SO ₂ tkm ⁻¹)	0.369	0.893	0.108	0.0081	0.22	0.018	0.018
CO ₂ emission (g CO ₂ tkm ⁻¹)						3 ^S	

Sources: Trafikministeriet (1994), Lübker *et al.* (1991), own calculations built on IEA (1984).

& from end-use energy with 37 per cent efficiency in coal fired power stations USA/AUS (GEMIS, 1992, 27).

^S for natural gas transport only. not relevant here, as Denmark is not important natural gas.

Fuels used in Transport

Fuel oil will in the future only be used in international maritime transport. We calculate with an average sulphur content of 2.9 per cent as given in Alexandersson *et al.* (1991, 162). Regulations have been proposed to reduce this level, for example down to 0.5 per cent sulphur. This fuel is somewhat more expensive, estimated at about 23.5 ECU per ton (do, 141). We note that a different fuel is used for inland shipping transport, *i.e.* gas oil (Nedergaard, 1994, 26).

³ Mainly from the IEA Coal Research Institute (various years) and the U.S. Department of the Interior, Bureau of Mines 1988 publications on the mineral industries of several countries of the World.

Danish Fuel Use Resilience

Regarding the import the Danish fuel use will in some cases mean that there can arise shortages in the export countries, or that environmentally doubtful transactions take place. For example in the Peoples' Republic of China transport costs are heavily subsidized so that other customers of the railway system pay for the export of chinese coal via the railway lines to the shipping harbours (Harral *et al.*, 1992). And the Chinese coal consumption that is enhanced by the desire for export revenues also hampers the development of natural gas, a fuel with less environmental consequences that to utilize requires lower capital and maintenance costs (Albouy, 1991).

The export and import structures of fuels has other environmental consequences. As coal transport increasingly is being performed in large colliers (>90,000 DWT) harbour berths have to be prepared for deep-draught, high tonnage ships (IEA, 1984). The high capital costs of such schemes often will bind investors to realising long term uses of the infrastructure and binds societies into use of such fuels, too. Such building schemes are often accompanied by vast interferences with natural systems. In some instances this endangers existing areas of high natural value. It is difficult to estimate the monetary damages from species loss as shown elsewhere in this report.

5 Million Tons CO₂ from Danish Import of Fossil Fuels⁴

Using standard data for emission factors of the various most important transport forms and data for the Danish import of solid, and some of the other forms of, fossil fuels it has been established that this import creates the equivalent of nearly 5 million tons of carbon dioxide, a potent greenhouse gas! This amount is not represented in the official emissions statistics that Denmark has to submit in order to fulfil one of the demands the climate convention established during the second conference of parties (COP2) at Berlin in February/March 1995.

Using data for the transport amount, the typical transport distance and the average emission factors per ton-kilometer we calculated the total CO₂ emissions related to the import of fuels, solid, fluid and gaseous, to Denmark.

The Danish Import and Export statistics include data on the amount of fuels imported by Denmark. This data is available in yearly overviews and the respective exporting countries. The statistics have been published by the statistical central bureau of Denmark, *Danmarks Statistik*. In this investigation the data have been aggregated countrywise for the period 1986 till 1994 and the first half of 1995 (DS, 1986-1995) into the respective categories (*varenummer*). The data was averaged over the period to reduce yearly variations. According to the Import statistics the average yearly import of coal is 11.4 million tons, of crude oil 4.6 million tons and of petroleum derivatives 3.6 million tons.

Information for the emissions of the different kinds of transport has been gained from a report by ILASA (1991). Five different transport modes are considered: diesel trains, electric trains, oceangoing ships, barges and truck transport. Lübker *et al.* divide road transport into a triple matrix of the three driving modes: urban, rural, and highway, and the three vehicle classes: light duty gasoline fueled, dieselfueled medium trucks, and diesel-fueled heavy duty trucks. In this investigation the data for the heavy duty rural transport mode have been chosen as the typical value, and we assumed a loading of 38 tons per lorry⁵. The figures of the specific CO₂ emissions per ton-kilometer for the five transport modes are given in Table 24.

Diesel	Electr	Barge	Ship	Road
109	75	37	33	30 ⁶

Table 24: CO₂ Emission factors from different transport modes.

in g CO₂ per ton kilometer.

Diesel: diesel driven locomotive

Electr: electric driven locomotive

Barge: inland ship

Ship: oceangoing ship

Road: rural diesel driven heavy truck

⁴ This text has been a first version on this matter. We include it only for the interest of the reader. It does not any more give a valid picture of the current understanding.

⁵ Contrary to the other emission factors the data for road transport in ILASA (1991) is only given in kilometres and not ton-kilometres.

⁶ For a load factor of 100 %, at 50 % the value is 61 g CO₂ per ton-kilometer. The coal trucks would normally be filled up fully.

The transport distances data we inferred from standard nautical distances tables (Ganey & Reynolds, 1988; US Navy, 1940), where we assumed Copenhagen and Aarhus as the final harbours for coal transport and Fredericia for oil transport⁷. For interior railway transport we used publications of the IEA coal research publications and the U.S. Department of the Interior's foreign trade analyses from 1988. In many instances we found data quoting the railway transport as either diesel or electrically driven, but not for all countries could this data be found. The resultant insecurities are however not a major source of errors as the difference of the emission rates between electrically and diesel driven transport is negligible compared to the large amount of the ship transport related emissions.

With the values of the total import of fuels, the specific transport modes and the transport distances the related CO₂ emissions can be established easily. The result is shown in Table 25.

Total CO ₂	Diesel	Electr	Barge	Ship	Road
4976425	266794	452642	25778	4224999	6209

Table 25: Transport related CO₂ emissions from the Danish import of fossil fuels.

All in all the Danish import of fossil fuels is responsible for the emission of nearly five million tons of CO₂ as a consequence of the current Danish energy system. This value does not even include the emissions related to the production of the fuels!

Concluding Remark

As noted before this statistics does only include transport related emissions, and not the other environmental impacts due to the production and conversion, like the preparation of petroleum products from crude oil. This information is being processed.

The amount of the ship transport related emissions might be underestimated⁸.

⁷ The emission data for the domestic oil transport via pipelines from the Danish North Sea oil fields have not yet been calculated, we assume they will normally be included in the conversion losses given in the official Danish energy statistics. This caveat is also valid for the Norwegian and British pipeline transports.

⁸ During the progress of this work we gained knowledge of the fact that the coal import from Canada is happening in Cape-size bulk carriers, and not as we had assumed in Panamax type ships that are able to pass the Panama channel. This means that the transport distance for Canadian coal is about doubled to what we have used in the statistics. The same is true for Australian coal that is transported around Cape of Good Hope, and not as we have assumed via the Suez Channel. Even according for the reduced train transport length to the Canadian west coast and not to the Great lakes as we have done in this first calculation, the total CO₂ emissions will surpass the 5 million tons established here.

The data from IASA (1991) actually refer to oil tankships. These might have a better bulk weight to dead weight ratio so that their specific emission factors are lower than for the bulk carriers carrying coal.

Literature List

AER: 1995, *Grøn Vækst*, Clemmesen, F. (ed.), Arbejderbevægelsens Erhvervsråd, København/DK, pp. 162.

Andersen, F.M., and Trier, P.: 1995, 'Environmental satellite models for ADAM: CO₂, SO₂, and NO_x emissions', *NERI Technical Report No. 148*, National Environmental Research Institute, Risø/DK, pp. 200.

BLM: 1980, *Department of the Interior Draft. Environmental Impact Statement of the Energy Transportation Systems Inc. Coal Slurry Pipeline Transportation Projekt. Prepared by Bureau of Land Management (Lead Agency) and Woodward-Clyde Consultants*, Traylor, R.E. (ETSI EIS Project Leader), pp. 409 (+170 pp. appendix).

Brockhoff, L., Jørgensen, N.O., Styhr Petersen, H.J., and Wiuff, R.: 1994, 'Transport af farligt gods i Danmark', *Notat 94-01*, Transportrådet, København/DK, pp. 41.

Buck Jr., D.E., and Rabchevsky, G.A.: 1988, *The Mineral Industries of Belgium, Luxembourg, And The Netherlands. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 35.

Buck Jr., D.E., Panulas, J.G., and Steblez, W.G.: 1988, *The Mineral Industries of The Balkan Countries. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 25.

Chin, E., and Wu, J.C.: 1988, *The Mineral Industries of China, Hong Kong, Mongolia, And Taiwan. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 56.

Couch, G., Hessling, M., Hjalmarsson, A.-K., Jamieson, E., and Jones, T.: 1990, *Coal Prospects in Eastern Europe*, IEACR/31, IEA Coal Research, London/UK, pp. 117.

Couch, G.R.: 1988, *Lignite resources and characteristics*, IEACR/13, IEA Coal Research, London/UK, pp. 102.

Couch, G.R.: 1993, 'Low-Rank Coal in Eastern Europe: Opportunities and Constraints', in *IEA 1993a*, pp. 243-260.

COWI: 1988a, *Dansk Transport 2010. Energiforbrug af miljøforhold. Sammenfattende rapport. Energiministeriets Forskningsprogram 87. Energianvendelse i transportsektoren*, COWiconsult, Lyngby/DK, pp. 112.

COWI: 1988b, *Dansk Transport 2010. Energiforbrug af miljøforhold. Bilag. Energiministeriets Forskningsprogram 87. Energianvendelse i transportsektoren*, COWiconsult, Lyngby/DK, pp. 126.

Daniel, M., and Jamieson, E.: 1992, *Coal Production Prospects in the European Community*, IEACR/48, IEA Coal Research, London/UK, pp. 78.

Daniel, M.: 1991, *African Coal Supply Prospects*, IEACR/33, IEA Coal Research, London/UK, pp. 83.

Det Økonomiske Råd: 1996, *Dansk Økonomi. Forår 1996*, Det Økonomiske Råd, København/DK, chapter on the transport sector, 93-161.

- Diercke: 1988, *DIERCKE Weltatlas. 1. Auflage der Neubearbeitung*, U. Zahn (Leitung), Westermann Kartographie, Westermann Schulbuchverlag, Braunschweig/DE, pp. 275.
- DK-EPA: 1992, 'Forstudie til livcyklusanalyse inden for transportsektoren', *Arbejdsrapport fra Miljøstyrelsen Nr. 47 1992*, COWIconsult A/S, Miljøministeriet, Miljøstyrelsen, København/DK, pp. 15.
- Doan, D.B., Chin, E., Kinney, G.L., and Yen, D.: 1988, *The Mineral Industries of South Asia. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 50.
- Dolley, T.P., and Michalski, B.: 1988, *The Mineral Industries of North Africa. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 37.
- DONG: 1994, 'Energi i tal og figurer. Bilag til Redegørelse til Folketinget', Dansk Olie og Naturgas' informationsafdeling (ed.), Hørsholm/DK, pp. 36.
- Doyle, G.: 1987, *China's Potential in International Coal Trade*, IEACR/02, IEA Coal Research, London/UK, pp. 94.
- Doyle, G.: 1989, *Prospects for Polish and Soviet Coal Exports*, IEACR/16, IEA Coal Research, London/UK, pp. 70.
- DS: 1986-1995, *Udenrigshandel fordelt på varer. External trade by commodities and countries*, 1986:1-4 till 1995:2, Danmarks Statistik, (Statistikservice), København /DK.
- EC: 1995/3, *ExternE. Externalities of Energy. Vol. 3. Coal & Lignite*, prepared by ETSU and IER, EUR 16522 EN, European Commission, DG XII (ed.), Brussels/BE, pp. 571.
- EC: 1995/4, *ExternE. Externalities of Energy. Vol. 4. Oil & Gas*, prepared by ETSU and IER, EUR 16523 EN, European Commission, DG XII (ed.), Brussels/BE, pp. 426.
- Ensminger, H.R., Gurmendi, A.C., and Machamer, J.F.: 1988, *The Mineral Industries of Northern South America. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 18.
- Ensminger, H.R.: 1988, *The Mineral Industries of Brazil. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 22.
- Fenger, J., Fenhann, J., and Kilde, N.: 1990, 'Danish Budget for Greenhouse Gases', *NORD 1990:97*, Nordic Council of Ministers, Copenhagen/DK, pp. 116.
- Ganey, P.W., and Reynolds, J.E.: 1988, *Reed's marine distance tables*, Thomas Reed Printers Ltd, Sutherland/UK, pp. 203.
- GEMIS: 1992, *Gesamt-Emissions-Modell Integrierter Systeme (GEMIS) Version 2.1, Erweiterter Endbericht im Auftrag des Hessischen Ministeriums für Umwelt, Energie und Bundesangelegenheiten*, Öko-Institut Darmstadt/DE, and GH Kassel/DE, pp. 226.
- Gransell, H. and Ekelund, M.: 1992, *The Life of Fuels. Motor Fuels from Source to End Use. An energy and emissions systems study of conventional and future options*, Ecotrafic, Stockholm/SE, pp. 179.
- Harral, C.G. (ed.), Cook, P. and Holland, E.: 1992, 'Transport Development in Southern China', *World Bank Discussion Papers*, 151, New York/US, pp. 196.

Hashimoto, N.: 1994, 'Clean Coal Transport System CWM Chain between China and Japan', in *IEA 1994e*, pp. 1015-1024.

IEA: 1984, *Coal Transport Infrastructure. A study prepared by the IEA Coal Industry Advisory Board*, Lantzke, U. (exec. director), IEA, Paris Cedex/FR, pp. 93.

IEA: 1985c, *Moving Coal. A study of transport systems by the IEA Coal Industry Advisory Board*, Steeg, H. (exec. director), IEA, Paris Cedex/FR, pp. 160.

IEA: 1993a, *Clean And Efficient Use Of Coal: The New Era For Low-Rank Coal. Conference Proceedings. Budapest, 24th-27th February 1993*, Garriba, S.F. (director), OECD/IEA, Paris Cedex/FR, pp. 779.

IEA: 1994b, *Natural Gas Transportation. Organisation and Regularion*, Steeg, H. (exec. director), OECD/IEA, Paris Cedex/FR, pp. 344.

IEA: 1994c, *Global Methane and the Coal Industry*, Steeg, H. (exec. director), OECD/IEA, Paris Cedex/FR, pp. 67.

IEA: 1994e, *The Clean And Efficient Use Of Coal and Lignite: Its Role in Energy, Environment and Life. Conference Proceedings. Hong Kong, 30th November-3rd December 1993*, Siegel, J. and Garriba, S.F. (directors), OECD/IEA, Paris Cedex/FR, pp. 1183.

IEA: 1995, *Stockdraw and emergency response policies and management. Kagoshima, Japan. 22-24 february 1994. Conference Proceedings*, International Energy Agency, Government of Japan, Japan National Oil Corporation, OECD/IEA, Paris-Cedex 16/FR, pp. 316.

IIASA: 1991, *Life-Cycle Analysis. IDEA. An International Database for Ecoprofile Analysis. A Tool for Decision Makers*, Lübker, B., Virtanen, Y., Mühlberger, M., Ingman, J., Vallance, B. and Alber, S., WP-91-30, Laxenburg/AT, pp. 174.

Jamieson, E.D.: 1985, *The Cost and Availability of Colombian Coal*, ICEAS/C5, IEA Coal Research, London/UK, pp. 75.

Jamieson, E.D.: 1986, *The Cost and Availability of Canadian Coal*, ICEAS/C7, IEA Coal Research, London/UK, pp. 70.

Jamieson, E.D.: 1990, *Current and Prospective Australian Coal Supply*, IEACR/20, IEA Coal Research, London/UK, pp. 106.

Jamieson, E.D.: 1992, *Coal Supply Prospects in North America*, IEACR/54, IEA Coal Research, London/UK, pp. 93.

Kuo, C.S.: 1988, *The Mineral Industries of North Korea And The Republic of Korea. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 23.

Lama, R.D. 1992: 'Methane gas emission from coal mining in Australia: Estimates and control strategies', in *IEA 1992a*, 255-266.

Levine, R.M.: 1988, *The Mineral Industries of The U.S.S.R.. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 30.

Libicki, J.: 1993, 'The Impact of Lignite Surface Mining on the Environment in Poland: Facts and Social Perception', in *IEA 1993a*, pp. 577-584.

Long, R.: 1986, *The Availability and Cost of Coal in South Africa*, ICEAS/C6, IEA Coal Research, London/UK, pp. 74.

- Lübker, B., Virtanen, Y., Mühlberger, M., Ingman, J., Vallance, B. and Alber, S.: 1991, *Life-Cycle Analysis. IDEA. An International Database for Ecoprofile Analysis. A Tool for Decision Makers*, WP-91-30, Laxenburg/AT, pp. 174.
- Lyday, T.Q.: 1988, *The Mineral Industries of Australia and Oceania. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 40.
- Oss, H.G. van, and Michalski, B.: 1988, *The Mineral Industries of West Africa. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 33.
- Porter, D., and Schmitz, J.: 1995, *Utility Coal Procurement*, IEAPER/20, IEA Coal Research, London/UK, pp. 31.
- Porter, D.: 1993, *Inland Transport of Export Coal - Market Structure, Prices and Prospects*, IEACR/61, IEA Coal Research, London/UK, pp. 72.
- Torres, I.E., Gurmendi, A.C., and Velasco, P.: 1988, *The Mineral Industries of Bolivia, Ecuador, And Peru. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 21.
- Transportrådet: 1993, 'Transportsektorens eksterne effekter', *Notat nr 93.01*, Danmarks Miljøundersøgelser, Transportrådet, København, pp. 73.
- US Navy: 1940, 'Table of Distances between Ports', *H.O. No. 117*, Hydrographic Office U.S. Navy Department, U.S. Government Printing Office, Washington/US, pp. 443.
- Velasco, P., and Gurmendi, A.C.: 1988, *The Mineral Industries of Southern South America. 1988 International Review*, U.S. Department of the Interior, Bureau of Mines, Washington/US, pp. 38.
- Walker, S.: 1993, *Major coalfields of the world*, IEACR/51, IEA Coal Research, London/UK, pp. 130.
- Wittingham, H., and King, C.T.: 1920, *Reed's marine distance tables*, Thomas Reed Printers Ltd, Sutherland/UK, pp. 188.

Table of Tables

TABLE 1 AVERAGE TRANSPORT LENGTH OF FUELS IMPORTED TO DENMARK	2
TABLE 2 TOTAL AVERAGE TON-KILOMETRES OF DANISH FUEL IMPORT.	3
TABLE 3 ENERGY DEMAND FOR OCEAN TRANSPORT	3
TABLE 4 BULK CARRIERS-SPECIFIC ENERGY DEMAND	4
TABLE 5 CO ₂ EMISSIONS FOR OCEAN SHIP BULK TRANSPORT.	5
TABLE 6 SPECIFIC FUEL OIL CONSUMPTION FOR SEVERAL SHIP TYPES.	5
TABLE 7 CO ₂ EMISSION FACTORS PER TONNE KILOMETRE FOR DIFFERENT SHIP TYPES.	6
TABLE 8 DIFFERENT ENERGY DEMAND FOR CRUDE OIL TRANSPORT IN TANKERS.	6
TABLE 9 PRIMARY SPECIFIC ENERGY CONSUMPTION FOR ROAD, RAIL AND SEA TRANSPORT.	7
TABLE 10 EMISSIONS FOR INTERNATIONAL ROAD, RAIL AND SHIP TRANSPORT.	7
TABLE 11 CO ₂ EMISSIONS FOR VARIOUS TRANSPORT MODES.	8
TABLE 12 CURRENT STATUS	8
TABLE 13 OUTLOOK FOR 2010, ADVANCED STRATEGY	9
TABLE 14 GEMIS (1992) DATA	9
TABLE 15 CO ₂ EMISSIONS (G/PKM) ACCORDING TO TRAVEL LENGTH AND MODE.	9
TABLE 16 CO ₂ EMISSIONS (G TKM ¹) FOR GOODS TRANSPORT.	10
TABLE 17 CO ₂ EMISSIONS.	10
TABLE 18 SPECIFIC EMISSIONS FROM SHIP ENGINES.	10
TABLE 19 CLASSES USED IN ALEXANDERSSON <i>ET AL.</i> (1991) STUDY.	11
TABLE 20 TYPICAL MARITIME CO ₂ EMISSIONS	11
TABLE 21 TOTAL CO ₂ EMISSIONS FROM DANISH FUEL IMPORT	12
TABLE 22 TRANSPORT MODE FOR ROUND TRIP COAL TRANSPORT TO EUROPE AND JAPAN	15
TABLE 23 TRANSPORT MODES SPECIFIC ENERGY CONSUMPTION AND EMISSIONS	16
TABLE 24: CO ₂ EMISSION FACTORS FROM DIFFERENT TRANSPORT MODES.	18
TABLE 25: TRANSPORT RELATED CO ₂ EMISSIONS FROM THE DANISH IMPORT OF FOSSIL FUELS.	19

Table of Contents

CALCULATING FUEL TRANSPORT'S EMISSIONS	1
Transportare necessare est	1
Aim and Motivation	1
Impacts from Transport	1
Transport Demand Development in Danmark	1
Fuel Import	2
Data Sources Production	2
Data Sources Transport	2
Total Danish Fuel Import	3
Energy Demand of Ship Transport	3
Transport Pollution Data	4
IEA (1984)	4
Hvid and Jensen (1995)	5
Gransell and Eklund (1991)	6
DK-EPA (1995)	7
Nedergaard (1994)	7
Trafikministeriet (1994)	8
Cowi (1988a and 1988b)	8
EC (1995/4)	9
NORD (1993)	9
Alexandersson <i>et al.</i> (1991)	10
Synopsis	11
Conclusions	12
International Perspective	13
Appendix	14
Characterisation of Transport Modes	14
Train Transport	14
Barge	14
Ship	14
Road	15
Conveyor Belts	16
Pipelines	16
Data Collection	16
Fuels used in Transport	16
Danish Fuel Use Resilience	17
5 Million Tons CO₂ from Danish Import of Fossil Fuels	18
Concluding Remark	19
Literature List	20
Table of Tables	24
Table of Contents	25

Liste over tidligere udkomne tekster
tilsendes gerne. Henvendelse herom kan
ske til IMFUFA's sekretariat
tlf. 46-75-77-11-lokal-2263

- 217/92 "Two papers on APPLICATIONS AND MODELLING
IN THE MATHEMATICS CURRICULUM"
by: Mogens Niss
- 218/92 "A Three-Square Theorem"
by: Lars Kadison
- 219/92 "RUPNOK - stationær strømning i elastiske rør"
af: Anja Boisen, Karen Birkelund, Mette Olufsen
Vejleder: Jesper Larsen
- 220/92 "Automatisk diagnosticering i digitale kredsløb"
af: Bjørn Christensen, Ole Møller Nielsen
Vejleder: Stig Andur Pedersen
- 221/92 "A BUNDLE VALUED RADON TRANSFORM, WITH
APPLICATIONS TO INVARIANT WAVE EQUATIONS"
by: Thomas P. Branson, Gestur Olafsson and
Henrik Schlichtkrull
- 222/92 On the Representations of some Infinite Dimensional
Groups and Algebras Related to Quantum Physics
by: Johnny T. Ottesen
- 223/92 THE FUNCTIONAL DETERMINANT
by: Thomas P. Branson
- 224/92 UNIVERSAL AC CONDUCTIVITY OF NON-METALLIC SOLIDS AT
LOW TEMPERATURES
by: Jeppe C. Dyre
- 225/92 "HATMODELLEN" Impedansspektroskopi i ultrarent
en-krystallinsk silicium
af: Anja Boisen, Anders Gorm Larsen, Jesper Varmer,
Johannes K. Nielsen, Kit R. Hansen, Peter Bøggild
og Thomas Hougaard
Vejleder: Petr Viscor
- 226/92 "METHODS AND MODELS FOR ESTIMATING THE GLOBAL
CIRCULATION OF SELECTED EMISSIONS FROM ENERGY
CONVERSION"
by: Bent Sørensen

- 227/92 "Computersimulering og fysik"
af: Per M. Hansen, Steffen Holm,
Peter Maibom, Mads K. Dall Petersen,
Pernille Postgaard, Thomas B. Schröder,
Ivar P. Zeck
Vejleder: Peder Voetmann Christiansen
- 228/92 "Teknologi og historie"
Fire artikler af:
Mogens Niss, Jens Højrup, Ib Thiersen,
Hans Hedal
- 229/92 "Masser af information uden betydning"
En diskussion af informationsteorien
i Tor Nørretranders' "Mørk Verden" og
en skitse til et alternativ baseret
på andenordens kybernetik og semiotik.
af: Søren Brier
- 230/92 "Vinklens tredeling - et klassisk
problem"
et matematisk projekt af
Karen Birkelund, Bjørn Christensen
Vejleder: Johnny Ottesen
- 231A/92 "Elektrondiffusion i silicium - en
matematisk model"
af: Jesper Voetmann, Karen Birkelund,
Mette Olufsen, Ole Møller Nielsen
Vejledere: Johnny Ottesen, H.B. Hansen
- 231B/92 "Elektrondiffusion i silicium - en
matematisk model" Kildetekster
af: Jesper Voetmann, Karen Birkelund,
Mette Olufsen, Ole Møller Nielsen
Vejledere: Johnny Ottesen, H.B. Hansen
- 232/92 "Undersøgelse om den simultane opdagelse
af energiens bevarelse og isærdeles om
de af Mayer, Colding, Joule og Helmholtz
udførte arbejder"
af: L. Arleth, G.I. Dybkjær, M.T. Østergård
Vejleder: Dorthe Posselt
- 233/92 "The effect of age-dependent host
mortality on the dynamics of an endemic
disease and
Instability in an SIR-model with age-
dependent susceptibility
by: Viggo Andreasen
- 234/92 "THE FUNCTIONAL DETERMINANT OF A FOUR-DIMENSIONAL
BOUNDARY VALUE PROBLEM"
by: Thomas P. Branson and Peter B. Gilkey
- 235/92 OVERFLADESTRUKTUR OG POREUDVIKLING AF KOKS
- Modul 3 fysik projekt -
af: Thomas Jessen

- 236a/93 INTRODUKTION TIL KVANTE
HALL EFFEKTEN
af: Anja Boisen, Peter Bøggild
Vejleder: Peder Voetmann Christiansen
Erland Brun Hansen
- 236b/93 STRØMSSAMMENBRUD AF KVANTE
HALL EFFEKTEN
af: Anja Boisen, Peter Bøggild
Vejleder: Peder Voetmann Christiansen
Erland Brun Hansen
- 237/93 The Wedderburn principal theorem and
Shukla cohomology
af: Lars Kadison
- 238/93 SEMIOTIK OG SYSTEMEGENSKABER (2)
Vektorbånd og tensorer
af: Peder Voetmann Christiansen
- 239/93 Valgsystemer - Modelbygning og analyse
Matematik 2. modul
af: Charlotte Gjerrild, Jane Hansen,
Maria Hermannsson, Allan Jørgensen,
Ragna Clauson-Kaas, Poul Lützen
Vejleder: Mogens Niss
- 240/93 Patologiske eksempler.
Om sære matematiske fæns betydning for
den matematiske udvikling
af: Claus Dræby, Jørn Skov Hansen, Runa
Ulsee Johansen, Peter Meibom, Johannes
Kristoffer Nielsen
Vejleder: Mogens Niss
- 241/93 FOTOVOLTAISK STATUSNOTAT 1
af: Bent Sørensen
- 242/93 Brovedligeholdelse - bevar mig vel
Analyse af Vejdirektoratets model for
optimering af broreparationer
af: Linda Kyndlev, Kare Fundal, Kamma
Tulinus, Ivar Zeck
Vejleder: Jesper Larsen
- 243/93 TANKEEKSPERIMENTER I FYSIKKEN
Et 1.modul fysikprojekt
af: Karen Birkelund, Stine Sofia Korremann
Vejleder: Dorte Posselt
- 244/93 RADONTRANSFORMATIONEN og dens anvendelse
i CT-scanning
Projektrapport
af: Trine Andreasen, Tine Guldager Christiansen,
Nina Skov Hansen og Christine Iversen
Vejledere: Gestur Olafsson og Jesper Larsen
- 245a+b
/93 Time-Of-Flight målinger på krystallinske
halvledere
Specialerapport
af: Linda Szkotak Jensen og Lise Odgaard Gade
Vejledere: Petr Viscor og Niels Boye Olsen
- 246/93 HVERDAGSVIDEN OG MATEMATIK
- LÆREPROCESSER I SKOLEN
af: Lena Lindenskov, Statens Humanistiske
Forskningsråd, RUC, IMFUFA
- 247/93 UNIVERSAL LOW TEMPERATURE AC CON-
DUCTIVITY OF MACROSCOPICALLY
DISORDERED NON-METALS
by: Jeppe C. Dyre
- 248/93 DIRAC OPERATORS AND MANIFOLDS WITH
BOUNDARY
by: B. Booss-Bavnbek, K.P.Wojciechowski
- 249/93 Perspectives on Teichmüller and the
Jahresbericht Addendum to Schappacher,
Scholz, et al.
by: B. Booss-Bavnbek
With comments by W.Abikoff, L.Ahlfors,
J.Cerf, P.J.Davis, W.Fuchs, F.P.Gardiner,
J.Jost, J.-P.Kahane, R.Lohan, L.Lorch,
J.Radkau and T.Söderqvist
- 250/93 EULER OG BOLZANO - MATEMATISK ANALYSE SET I ET
VIDENSKABSTEORETISK PERSPEKTIV
Projektrapport af: Anja Juul, Lone Michelsen,
Tomas Højgård Jensen
Vejleder: Stig Andur Pedersen
- 251/93 Genotypic Proportions in Hybrid Zones
by: Freddy Bugge Christiansen, Viggo Andreasen
and Ebbe Thue Poulsen
- 252/93 MODELLERING AF TILFÆLDIGE FÆNOMENER
Projektrapport af: Birthe Friis, Lisbeth Helmgård,
Kristina Charlotte Jakobsen, Marina Mosbæk
Johannessen, Lotte Ludvigsen, Mette Hass Nielsen
- 253/93 Kuglepakning
Teori og model
af: Lise Arleth, Kåre Fundal, Nils Kruse
Vejleder: Mogens Niss
- 254/93 Regressionsanalyse
Materiale til et statistikkursus
af: Jørgen Larsen
- 255/93 TID & BETINGET UAFHÆNGIGHED
af: Peter Barremoës
- 256/93 Determination of the Frequency Dependent
Bulk Modulus of Liquids Using a Piezo-
electric Spherical Shell (Preprint)
by: T. Christensen and N.B.Olsen
- 257/93 Modellering af dispersion i piezoelektriske
keramikker
af: Pernille Postgaard, Jannik Rasmussen,
Christina Specht, Mikko Østergård
Vejleder: Tage Christensen
- 258/93 Supplerende kursusmateriale til
"Lineære strukturer fra algebra og analyse"
af: Mogens Brun Beefelt
- 259/93 STUDIES OF AC HOPPING CONDUCTION AT LOW
TEMPERATURES
by: Jeppe C. Dyre
- 260/93 PARTITIONED MANIFOLDS AND INVARIANTS IN
DIMENSIONS 2, 3, AND 4
by: B. Booss-Bavnbek, K.P.Wojciechowski

- 261/93 OPGAVESAMLING
Bredde-kursus i Fysik
Eksamensopgaver fra 1976-93
- 262/93 Separability and the Jones Polynomial
by: Lars Kadison
- 263/93 Supplerende kursusbemateriale til
"Lineære strukturer fra algebra
og analyse" II
af: Mogens Brun Heefelt
- 264/93 FOTOVOLTAISK STATUSNOTAT 2
af: Bent Sørensen
-
- 265/94 SPHERICAL FUNCTIONS ON ORDERED
SYMMETRIC SPACES
To Sigurdur Helgason on his
sixtyfifth birthday
by: Jacques Faraut, Joachim Hilgert
and Gestur Olafsson
- 266/94 Kommensurabilitets-oscillationer i
laterale supergitre
Fysikspeciale af: Anja Boisen,
Peter Bøggild, Karen Birkelund
Vejledere: Rafael Taboryski, Poul Erik
Lindelof, Peder Voetmann Christiansen
- 267/94 Kom til kort med matematik på
Eksperimentarium - Et forslag til en
opstilling
af: Charlotte Gjerrild, Jane Hansen
Vejleder: Bernhelm Booss-Bavnbek
- 268/94 Life is like a sewer ...
Et projekt om modellering af aorta via
en model for strømning i kloakrør
af: Anders Marcussen, Anne C. Nilsson,
Lone Michelsen, Per M. Hansen
Vejleder: Jesper Larsen
- 269/94 Dimensionsanalyse en introduktion
metaprojekt, fysik
af: Tine Guldager Christiansen,
Ken Andersen, Nikolaj Hermann,
Jannik Rasmussen
Vejleder: Jens Højgaard Jensen
- 270/94 THE IMAGE OF THE ENVELOPING ALGEBRA
AND IRREDUCIBILITY OF INDUCED REPRESENTATIONS OF EXPONENTIAL LIE GROUPS
by: Jacob Jacobsen
- 271/94 Matematikken i Fysikken.
Opdaget eller opfundet
NAT-BAS-projekt
vejleder: Jens Højgaard Jensen
- 272/94 Tradition og fornyelse
Det praktiske eleverarbejde i gymnasiets
fysikundervisning, 1907-1988
af: Kristian Hoppe og Jeppe Guldager
Vejledning: Karin Beyer og Nils Hybel
- 273/94 Model for kort- og mellemdistanceløb
Verifikation af model
af: Lise Fabricius Christensen, Helle Pilemann,
Bettina Sørensen
Vejleder: Mette Olufsen
- 274/94 MODEL 10 - en matematisk model af intravenøse
anæstetika-farmakokinetik
3. modul matematik, forår 1994
af: Trine Andreasen, Bjørn Christensen, Christine
Green, Anja Skjoldborg Hansen, Lisbeth
Helmgaard
Vejledere: Viggo Andreasen & Jesper Larsen
- 275/94 Perspectives on Teichmüller and the Jahresbericht
2nd Edition
by: Bernhelm Booss-Bavnbek
- 276/94 Dispersionsmodellering
Projektrapport 1. modul
af: Gitte Andersen, Rehannah Borup, Lisbeth Friis,
Per Gregersen, Kristina Vejre
Vejleder: Bernhelm Booss-Bavnbek
- 277/94 PROJEKTARBEJDSPEDAGOGIK - Om tre tolkninger af
problemorienteret projektarbejde
af: Claus Flensted Behrens, Frederik Voetmann
Christiansen, Jørn Skov Hansen, Thomas
Thingstrup
Vejleder: Jens Højgaard Jensen
- 278/94 The Models Underlying the Anaesthesia
Simulator Sophus
by: Mette Olufsen(Math-Tech), Finn Nielsen
(RISØ National Laboratory), Per Føge Jensen
(Herlev University Hospital), Stig Andur
Pedersen (Roskilde University)
- 279/94 Description of a method of measuring the shear
modulus of supercooled liquids and a comparison
of their thermal and mechanical response
functions.
af: Tage Christensen
- 280/94 A Course in Projective Geometry
by Lars Kadison and Matthias T. Kromann
- 281/94 Modellering af Det Cardiovasculære System med
Neural Puls kontrol
Projektrapport udarbejdet af:
Stefan Frello, Runa Ulse Johansen,
Michael Poul Curt Hansen, Klaus Dahl Jensen
Vejleder: Viggo Andreasen
- 282/94 Parallelle algoritmer
af: Erwin Dan Nielsen, Jan Danielsen,
Niels Bo Johansen

- 283/94 Grænser for tilfældighed
(en kaotisk talgenerator)
af: Erwin Dan Nielsen og Niels Bo Johansen
- 284/94 Det er ikke til at se det, hvis man ikke
lige ve' det!
Gymnasimatematikens begrundelsesproblem
En specialerapport af Peter Hauge Jensen
og Linda Kyndlev
Vejleder: Mogens Niss
- 285/94 Slow coevolution of a viral pathogen and
its diploid host
by: Viggo Andreassen and
Freddy B. Christiansen
- 286/94 The energy master equation: A low-temperature
approximation to Bässler's random walk model
by: Jeppe C. Dyre
- 287/94 A Statistical Mechanical Approximation for the
Calculation of Time Auto-Correlation Functions
by: Jeppe C. Dyre
- 288/95 PROGRESS IN WIND ENERGY UTILIZATION
by: Bent Sørensen
- 289/95 Universal Time-Dependence of the Mean-Square
Displacement in Extremely Rugged Energy
Landscapes with Equal Minima
by: Jeppe C. Dyre and Jacob Jacobsen
- 290/95 Modellering af uregelmæssige bølger
Et 3.modul matematik projekt
af: Anders Marcussen, Anne Charlotte Nilsson,
Lone Michelsen, Per Mørkegaard Hansen
Vejleder: Jesper Larsen
- 291/95 1st Annual Report from the project
LIFE-CYCLE ANALYSIS OF THE TOTAL DANISH
ENERGY SYSTEM
an example of using methods developed for the
OECD/IEA and the US/EU fuel cycle externality study
by: Bent Sørensen
- 292/95 Fotovoltaisk Statusnotat 3
af: Bent Sørensen
- 293/95 Geometridiskussionen - hvor blev den af?
af: Lotte Ludvigsen & Jens Frandsen
Vejleder: Anders Madsen
- 294/95 Universets udvidelse -
et metaprojekt
Af: Jesper Duelund og Birthe Friis
Vejleder: Ib Lundgaard Rasmussen
- 295/95 A Review of Mathematical Modeling of the
Controlled Cardiovascular System
By: Johnny T. Ottesen
- 296/95 RETIKULER den klassiske mekanik
af: Peder Voetmann Christiansen
- 297/95 A fluid-dynamical model of the aorta with
bifurcations
by: Mette Olufsen and Johnny Ottesen
- 298/95 Mordet på Schrödingers kat - et metaprojekt om
to fortolkninger af kvantemekanikken
af: Maria Hermannsson, Sebastian Horst,
Christina Specht
Vejledere: Jeppe Dyre og Peder Voetmann Christiansen
- 299/95 ADAM under figenbladet - et kig på en samfunds-
videnskabelig matematisk model
Et matematisk modelprojekt
af: Claus Dræby, Michael Hansen, Tomas Højgård Jensen
Vejleder: Jørgen Larsen
- 300/95 Scenarios for Greenhouse Warming Mitigation
by: Bent Sørensen
- 301/95 TOK Modellering af træers vækst under påvirkning
af ozon
af: Glenn Møller-Holst, Marina Johannessen, Birthe
Nielsen og Bettina Sørensen
Vejleder: Jesper Larsen
- 302/95 KOMPRESSORER - Analyse af en matematisk model for
aksialkompressor
Projektrapport af: Stine Bøggild, Jakob Hilmer,
Pernille Postgaard
Vejleder: Viggo Andreassen
- 303/95 Masterlignings-modeller af Glasovergangen
Termisk-Mekanisk Relaksation
Specialerapport udarbejdet af:
Johannes K. Nielsen, Klaus Dahl Jensen
Vejledere: Jeppe C. Dyre, Jørgen Larsen
- 304a/95 STATISTIKNOTER Simple binomialfordelingsmodeller
af: Jørgen Larsen
- 304b/95 STATISTIKNOTER Simple normalfordelingsmodeller
af: Jørgen Larsen
- 304c/95 STATISTIKNOTER Simple Poissonfordelingsmodeller
af: Jørgen Larsen
- 304d/95 STATISTIKNOTER Simple multinomialfordelingsmodeller
af: Jørgen Larsen
- 304e/95 STATISTIKNOTER Mindre matematisk-statistisk opslagsværk
indeholdende bl.a. ordforklaringer, resuméer og
tabeller
af: Jørgen Larsen

- 305/95 The Maslov Index:
A Functional Analytical Definition
And The Spectral Flow Formula

By: B. Booss-Bavnbek, K. Furutani
- 306/95 Goals of mathematics teaching

Preprint of a chapter for the forthcoming International Handbook of Mathematics Education (Alan J. Bishop, ed)

By: Mogens Niss
- 307/95 Habit Formation and the Thirdness of Signs

Presented at the semiotic symposium

The Emergence of Codes and Intensions as a Basis of Sign Processes

By: Peder Voetmann Christiansen
- 308/95 Metaforer i Fysikken

af: Marianne Wilcken Bjerregaard, Frederik Voetmann Christiansen, Jørn Skov Hansen, Klaus Dahl Jensen, Ole Schmidt

Vejledere: Peder Voetmann Christiansen og Petr Viscor
- 309/95 Tiden og Tanken

En undersøgelse af begrebsverdenen Matematik udført ved hjælp af en analogi med tid

af: Anita Stark og Randi Petersen

Vejleder: Bernhelm Booss-Bavnbek
- 310/96 Kursusmateriale til "Lineære strukturer fra algebra og analyse" (E1)

af: Mogens Brun Heefelt
- 311/96 2nd Annual Report from the project
LIFE-CYCLE ANALYSIS OF THE TOTAL DANISH ENERGY SYSTEM

by: Hélène Connor-Lajambe, Bernd Kuemmel, Stefan Krüger Nielsen, Bent Sørensen
- 312/96 Grassmannian and Chiral Anomaly

by: B. Booss-Bavnbek, K.P. Wojciechowski
- 313/96 THE IRREDUCIBILITY OF CHANCE AND THE OPENNESS OF THE FUTURE

The Logical Function of Idealism in Peirce's Philosophy of Nature

By: Helmut Pape, University of Hannover
- 314/96 Feedback Regulation of Mammalian Cardiovascular System

By: Johnny T. Ottesen
- 315/96 "Rejsen til tidens indre" - Udarbejdelse af a + b

et manuskript til en fjernsynsudsendelse + manuskript

af: Gunhild Hune og Karina Goyle

Vejledere: Peder Voetmann Christiansen og Bruno Ingemann
- 316/96 Plasmaoscillation i natriumklynger

Specialerapport af: Peter Meibom, Mikko Østergård

Vejledere: Jeppe Dyre & Jørn Borggreen
- 317/96 Poincaré og symplektiske algoritmer

af: Ulla Rasmussen

Vejleder: Anders Madsen
- 318/96 Modelling the Respiratory System

by: Tine Guldager Christiansen, Claus Dræby

Supervisors: Viggo Andreasen, Michael Danielsen
- 319/96 Externality Estimation of Greenhouse Warming Impacts

by: Bent Sørensen
- 320/96 Grassmannian and Boundary Contribution to the -Determinant

by: K.P. Wojciechowski et al.
- 321/96 Modelkompetencer - udvikling og afprøvning af et begrebsapparat

Specialerapport af: Nina Skov Hansen, Christine Iversen, Kristin Troels-Smith

Vejleder: Morten Blomhøj
- 322/96 OPGAVESAMLING

Bredde-Kursus i Fysik 1976 - 1996
- 323/96 Structure and Dynamics of Symmetric Diblock Copolymers

PhD Thesis

by: Christine Maria Papadakis
- 324/96 Non-linearity of Baroreceptor Nerves

by: Johnny T. Ottesen
- 325/96 Retorik eller realitet ?

Anvendelser af matematik i det danske Gymnasiums matematikundervisning i perioden 1903 - 88

Specialerapport af Helle Pilemann

Vejleder: Mogens Niss
- 326/96 Bevisteorier

Eksemplificeret ved Gentzens bevis for konsistensen af teorien om de naturlige tal

af: Gitte Andersen, Lise Mariane Jeppesen, Klaus Frovin Jørgensen, Ivar Peter Zeck

Vejledere: Bernhelm Booss-Bavnbek og Stig Andur Pedersen
- 327/96 NON-LINEAR MODELLING OF INTEGRATED ENERGY SUPPLY AND DEMAND MATCHING SYSTEMS

by: Bent Sørensen
- 328/96 Calculating Fuel Transport Emissions

by: Bernd Kuemmel